

**ARDON®**

TECHNICAL DATA SHEET

M2000

Eye protection

Article NO:

E4025

Lens:

clear

Material- lens:

polycarbonate

Material- frame:

polycarbonate


Material- inner rim parts of lens:

EVA foam

(Ethylene Vinyl Acetate foam)




Safety glasses with blue polycarbonate temples. Inner rim parts of lens are covered with soft EVA foam, which provides better adjustment, shock absorption and more efficient sealing. Wide clear polycarbonate lens are made from one piece and protect against UV radiation. They are anti-fogging, anti-scratching, resistant to low-energy shocks (up to 45 m/s) at extreme temperatures (-5°C - +55°C) and provides maximum protection. Soft transparent aerated non-sliding nose bridge ensures excellent comfort for all-day wear.



Adjustable temple length

- NO



Adjustable temple angle

- NO



Anti-fogging lens

- YES



Anti-scratching lens

- YES

Clear lens, UV, 2-1.2 1 FT 0

Type of filter: 2

UV filter

Shade number: 1.2

clear

Optical class: 1

permanent use

Mechanical resistance: FT

resistant to low-energy shocks at extreme temperatures

Type of the lens: 0

original lens



This personal protective equipment is in conformity with these harmonized European Standards:

EN 166:2001: Personal eye protection. General requirements.

EN 170:2002: Personal eye-protection - Ultraviolet filters - Transmittance requirements and recommended use.

Certified by Notified body no. 2797 (BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands),
Certificate no CE 749754, dated 26th August 2021.

Pieces in carton:	250
Pieces in box:	10
Polybag packing (pieces):	1
Carton weight:	11 kg
Carton size:	0,103 m ³

Store in dry and dark environment away from direct sunlight at temperatures of -5°C to +55°C, relative humidity 90% and out of sources of gasoline vapors and solvents.

It is recommended to clean after each use. Clean at room temperature with a clean cloth, lightly moistened with a concentrated solution of water and detergent. Do not use hot water, fuel, degreasing fluids, organic solvents or abrasive cleaners.
