



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## **ARDON® COY**

WELDING PROTECTION



EN 388: 2016



EN 407:2020

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

# ARDON® COY

WELDING PROTECTION

## CODE

**A2006**  
**A8099 (with Kevlar seams)**

## MATERIAL

Palm  
Back  
Cuff  
Thickness  
cowgrain leather (white)  
cowsplit leather (grey)  
cowsplit leather (stiff)  
0,9 - 1,0 ± 0,1 mm (in palm)

## SIZE(S)

9 / L (only A2006 from 04/2024), 11 / 2XL

## UNIT

pair

## PACKING


Units in carton  
Units in polybag  
Retail packaging  
60 pairs  
12 pairs  
N/A

## DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	-	69x15x37	-	71x15x38	-
Carton (cbm)	-	-	-	-	0,0383	-	0,0405	-

## WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	-	11,60	-	15,00	-
Unit (g)	-	-	-	-	193,0	-	250,0	-



## Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	-	35,0	-	35,0	-
Cuff length (B)	-	-	-	-	15,0	-	15,0	-
Cuff width (C)	-	-	-	-	12,5	-	13,0	-
Palm width (D)	-	-	-	-	13,0	-	14,0	-

Tolerance (A) ± 0,50 (cm)  
Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)  
Tolerance (D) ± 0,50 (cm)

## DESCRIPTION

Full leather gloves made of cowgrain and cowsplit leather.

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

3  
1  
3  
2  
X

#### score

2.000 – 8.000  
1,2 – 2,5  
50 - 75  
60 – 100  
not measured

#### unit

cycles  
index  
N  
N  
N

**EN 407:2020**

Protective gloves against heat or flame

EN 407



### PROTECTION LEVELS

#### THERMAL RISKS

resistance to burning  
resistance to contact heat  
resistance to convectional heat  
resistance to radiant heat  
resistance to small drops of molten metals  
resistance to large drops of molten metals

#### LVL

4  
1  
3  
X  
4  
X

#### score

100°C for 15s  
not measured  
not measured

**EN 12477:2001**

Protective gloves for welders

**TYP A**

### SPECIAL FEATURES

- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- fine, soft and pliable leather
- heat protection up to 100 ° C
- version offer:

- with Kevlar seams (better burn resistance)
- classic seams (cheaper)



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A2006/09

A2006/10

A8099/11

**EAN**

8592390341419

8592390000293

8592390129031





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL DATA