



ARDON®
WORKWEAR
& OUTDOOR

MEL

WELDING PROTECTION



EN 388: 2016



EN 407:2020



ARDON®
WORKWEAR
& OUTDOOR

MEL

WELDING PROTECTION

CODE

A2007

MATERIAL

Palm
Back
Lining
Thickness
cowsplit leather (grey)
cowsplit leather (grey)
N/A
1,1 – 1,3 mm (in palm)

SIZE(S)

10 / XL

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging
60 pairs
12 pairs
also with sales label (-SPE)

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	81x15x38	-	-
-	-	-	-	-	0,0462	-	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	15,35	-	-
-	-	-	-	-	255,0	-	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	35,0	-	-
-	-	-	-	-	15,0	-	-
-	-	-	-	-	13,0	-	-
-	-	-	-	-	13,5	-	-

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Full leather gloves made of cowsplit leather.

TECHNICAL DATA

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388	PROTECTION LEVELS			
	MECHANICAL RISKS			
	LVL	score	unit	
	3	2.000 – 8.000	cycles	
	1	1,2 – 2,5	index	
	3	50 – 75	N	
	3	100 - 150	N	
	X	not measured	N	

EN 407:2020

Protective gloves against heat or flame

EN 407	PROTECTION LEVELS	
	THERMAL RISKS	
	LVL	score
	4	
	1	100°C for 15s
	2	
	X	not measured
	4	
	X	not measured

EN 12477:2005

Protective gloves for welders

TYP A

SPECIAL FEATURES

- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- fine, soft and pliable leather
- cuff length 15 cm
- heat protection up to 100 ° C



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A2007/10

EAN

8592390000125

Retail packaging (with sales label)

A2007/10-SPE

8592390083227