



WELDING PROTECTION (TIG)





ARDON®
WORKWEAR
& OUTDOOR

GLEN

WELDING PROTECTION (TIG)

CODE

A2010

MATERIAL

Palm
Back
Cuff
Thickness
goatskin leather (grey)
goatskin leather (grey)
cowsplit leather
0,7 – 1,0 mm (in palm)

SIZE(S)

9 / L – 11 / 2XL (revision 2023)

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging
72 pairs
12 pairs
N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	36x36x36	37x37x37	39x39x39	-
-	-	-	-	0,0467	0,0507	0,0593	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	12,50	13,55	14,50	-
-	-	-	-	95,21	103,3	110,0	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	-	34,0	35,0	36,0	-
Cuff length (B)	-	-	-	-	27,0	28,0	29,0	-
Cuff width (C)	-	-	-	-	14,0	15,0	16,0	-
Palm width (D)	-	-	-	-	12,5	13,0	13,5	-

Tolerance (A) $\pm 0,20$ (cm)
Tolerance (B) $\pm 0,10$ (cm)

Tolerance (C) $\pm 0,20$ (cm)
Tolerance (D) $\pm 0,20$ (cm)

DESCRIPTION

Full leather gloves made of goatskin leather with cuff of cowsplit leather.



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

2
1
2
2
X

score

500 – 2.000
1,2 – 2,5
25 – 50
60 - 100
not measured

unit

cycles
index
N
N
N

EN 407:2020

Protective gloves against heat or flame

PROTECTION LEVELS

THERMAL RISKS

resistance to burning
resistance to contact heat
resistance to convectional heat
resistance to radiant heat
resistance to small drops of molten metals
resistance to large drops of molten metals

LVL

4
1
2
X
4
X

score

100°C for 15s
not measured
not measured

EN 407



EN 12477:2001

Protective gloves for welders

TYP B

SPECIAL FEATURES

- welding gloves class B (TIG)
- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- heat protection up to 100 ° C
- in 2023, the size range was expanded by 9 / L and 11 / 2XL

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A2010/09
A2010/10
A2010/11

EAN

8592390175069
8592390000675
8592390175076

