



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® 4TIG

WELDING PROTECTION



EN 388: 2016



EN 407:2020



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# ARDON® 4TIG

WELDING PROTECTION

## CODE

A2013

## MATERIAL

Palm goatskin leather (white)  
Back goatskin leather (white)  
Cuff cowsplit leather (soft, yellow)  
Thickness 0,7 – 1,0 mm (in palm)

## SIZE(S)

8 / M – 11 / 2XL

## UNIT

pair

## PACKING


Units in carton 120 pairs  
Units in polybag 12 pairs  
Retail packaging N/A

## DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	56x33x37	56x33x37	56x33x37	56x33x37	-
Carton (cbm)	-	-	-	0,0684	0,0684	0,0684	0,0684	-

## WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	23,10	23,80	24,10	24,30	-
Unit (g)	-	-	-	180,8	186,7	189,2	190,8	-



## Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	34,0	35,0	36,0	37,0	-
Cuff length (B)	-	-	-	27,0	28,0	29,0	30,0	-
Cuff width (C)	-	-	-	15,0	15,0	15,0	15,0	-
Palm width (D)	-	-	-	11,0	11,5	12,0	15,5	-

Tolerance (A)  $\pm 0,20$  (cm)

Tolerance (B)  $\pm 0,10$  (cm)

Tolerance (C)  $\pm 0,20$  (cm)

Tolerance (D)  $\pm 0,10$  (cm)

## DESCRIPTION


Full leather gloves made of goatskin and soft cowsplit leather with Kevlar seams.

## STANDARDS

(EU) 2016/425


**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

PROTECTION LEVELS				
<b>MECHANICAL RISKS</b>		<b>LVL</b>	<b>score</b>	<b>unit</b>
 <p>EN 388</p>	abrasion resistance	2	500 – 2.000	cycles
	cut resistance	1	1,2 – 2,5	index
	tearing resistance	2	25 – 50	N
	puncture resistance	2	60 - 100	N
	cut resistance acc. to ISO	X	not measured	N

**EN 407:2020**

Protective gloves against heat or flame

PROTECTION LEVELS			
<b>THERMAL RISKS</b>		<b>LVL</b>	<b>score</b>
 <p>EN 407</p>	resistance to burning	4	
	resistance to contact heat	1	100°C for 15s
	resistance to convectional heat	2	
	resistance to radiant heat	X	not measured
	resistance to small drops of molten metals	4	
	resistance to large drops of molten metals	X	not measured

**EN 12477:2001**

Protective gloves for welders

**TYP B**

### SPECIAL FEATURES

- welding gloves class B (TIG)
- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- with Kevlar seams
- heat protection up to 100 ° C
- ARDON® design:
  - mandatory information on inner label
  - hi-viz manufacturer's logo



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A2013/08  
A2013/09  
A2013/10  
A2013/11

**EAN**

8592390116710  
8592390116727  
8592390116734  
8592390116741

