



ARDON®
WORKWEAR
& OUTDOOR

4MIG BLACK

WELDING PROTECTION (MIG, MAG)



TECHNICAL DATA



EN 388: 2016



EN 407: 2004



ARDON®
WORKWEAR
& OUTDOOR

4MIG BLACK

WELDING PROTECTION (MIG, MAG)

CODE

A2014

MATERIAL

Palm cowhide split leather (black)
Back cowhide split leather (black)
Lining fabric
Thickness 1,2 – 1,5 mm (in palm)

SIZE(S)

10 / XL

UNIT

pair

PACKING

Units in carton 60 pairs
Units in polybag 12 pairs
Retail packaging N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	72x36x24	-	-
-	-	-	-	-	0,0622	-	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	19,00	-	-
-	-	-	-	-	300,0	-	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	35,0	-	-
-	-	-	-	-	14,0	-	-
-	-	-	-	-	16,0	-	-
-	-	-	-	-	14,0	-	-

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Full leather gloves made of cowsplit leather with covered seams.




ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425


EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

 EN 388	PROTECTION LEVELS	LVL	score	unit
	MECHANICAL RISKS			
	abrasion resistance	3	2.000 – 8.000	cycles
	cut resistance	1	1,2 – 2,5	index
	tearing resistance	4	> 75	N
	puncture resistance	4	> 150	N
	cut resistance acc. to ISO	X	not measured	N

EN 407:2004

Protective gloves against heat or flame

 EN 407	PROTECTION LEVELS	LVL	score
	THERMAL RISKS		
	resistance to burning	4	
	resistance to contact heat	1	100°C for 15s
	resistance to convective heat	3	
	resistance to radiant heat	X	not measured
	resistance to small drops of molten metals	4	
	resistance to large drops of molten metals	X	not measured

EN 12477:2005

Protective gloves for welders

TYP A

SPECIAL FEATURES

- robust full leather gloves, they can handle mechanically demanding procedures MIG, MAG
- heat protection up to 100 ° C



ARDON®
WORKWEAR
& **OUTDOOR**

Basic packaging (without sales label)
A2014/10

EAN

8592390035486

TECHNICAL DATA