



ARDON®
WORKWEAR
& OUTDOOR

ARDON® NITRAX

COMFORTABLE HANDLING IN A SLIGHTLY OILY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® NITRAX

COMFORTABLE HANDLING IN A SLIGHTLY OILY ENVIRONMENT

CODE

A9057

MATERIAL

Lining
Coating
Thickness
nylon (blue)
nitrile BAYER (grey)
0,9 mm (in palm)

SIZE(S):

7 / S – 11 / 2XL

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging
240 pairs
12 pairs
sizes 8 / M and 10 / XL with sales label

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	60x24x38	60x24x38	60x27x40	60x27x40	60x27x40	-
-	-	0,0547	0,0547	0,0648	0,0648	0,0648	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	9,80	11,5	13,0	13,9	15,0	-
-	-	37,0	44,0	51,0	54,0	59,0	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	-	22,5	23,5	24,5	25,5	27,0	-
-	-	6,50	7,00	7,50	8,00	9,00	-
-	-	8,00	8,50	9,00	9,50	10,0	-
-	-	8,00	8,50	9,00	9,50	10,0	-

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION


Soft nylon knit dipped in nitrile.

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

	PROTECTION LEVELS			
	MECHANICAL RISKS			
	abrasion resistance	LVL	score	unit
	abrasion resistance	4	> 8.000	cycles
	cut resistance	1	1,2 – 2,5	index
	tearing resistance	2	25 – 50	N
	puncture resistance	1	20 - 60	N
	cut resistance acc. to ISO	X	not measured	N

SPECIAL FEATURES

- nitrile BAYER®
- seamless cuff (less pressure on the wrist)
- ARDON® design:
 - mandatory information on inner label
- each pair in size 8 / M and 10 / XL is retail ready packed

Basic packaging (without sales label)

A9057/S
A9057/L
A9057/XXL

Retail packaging (with sales label)

A9057/M
A9057/XL

EAN

8592390017888
8592390017901
8592390017925

HEM COLOR

yellow
black
white

8592390017895
8592390017918

green
blue