



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON®TABERNUS S3

SAFETY SHOES



WINTER



**WATER
REPELLENT**



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON®TABERNUS S3

SAFETY SHOES

ARTICLE

G3122

MATERIAL

Upper
Lining
Sole

buffalo leather with SPLIT LEATHER design 1,8 – 2mm, hydrofobic
synthetic fur
PU/rubber, two-component spray coating, oil resistant, anti-static, antislip,
resistant up to 300 °C
steel 522
steel
BASIC, synthetic fur

Toe cap
Plate
Insole

SIZE

37-48

UNIT

pair

PACKAGE

Units in a carton
Units in a box

10 pairs
1 pair

DIMENSIONS

Carton H x W x D
(cm)
Carton (cbm)

37-45
36 x 48 x 64
0,111

46-48
36 x 51.5 x 67
0,124

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	-	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	-	23,8	24,4	25,1	25,6	26,2	27,0	27,5	28,4	29,3	29,8	30,8	31,4	-	-	-

DESCRIPTION

Safety ankle boots insulated with synthetic fur for perfect thermal comfort. Leather upper with hydrophobic treatment. The shoes are equipped with a steel toe cap and an anti-puncture steel insole. PU / rubber sole with SRC slip resistance.

NORMS









(EU) 2016/425

EN ISO 20345:2022

Personal protective equipment – Safety footwear

Category

S3 SR FO HRO HI CI

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor with glycerin	✓	[SR]
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
PL - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		[SRA]
HRO - resistance to contact heatup to 300 °C	✓	
HI-insulation of the bottom of the shoe against heat		[HI]
CI-insulation of the bottom of the shoe against the cold	✓	[CI]
Splatters of molten metal		[WG]
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		[0% METAL]
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3122/37	8592390042002	16.98	1.698
G3122/38	8592390042019	17.33	1.733
G3122/39	8592390042026	17.69	1.769
G3122/40	8592390042033	18.06	1.806
G3122/41	8592390042040	18.54	1.845
G3122/42	8592390042057	18.85	1.885
G3122/43	8592390042064	19.26	1.926
G3122/44	8592390042071	19.46	1.946
G3122/45	8592390042088	19.88	1.988
G3122/46	8592390042095	20.31	2.031
G3122/47	8592390042101	20.72	2.072
G3122/48	8592390042118	21.16	2.116



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

