



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## XA5c

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION



EN 388: 2016

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## XA5c

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION

### CODE

A5119

### MATERIAL

Lining

13G polyester + anti-cutting (HPPE\*) fiber (melange)

\* High Performance Poly-Ethylene

Coating

polyurethane (grey)

Thickness

1,1 ± 0,2 mm (in palm)

### SIZE(S):

6 / XS – 12 / 3XL

### UNIT

pair

### PACKING

Units in carton

144 pairs

Units in polybag

12 pairs

Retail packaging

size 9 / L and 10 / XL also with sales label

### DIMENSIONS

Carton H x W x D (cm)

5	6	7	8	9	10	11	12
-	56x24x27	60x24x27	60x24x27	60x24x27	60x26x27	60x26x27	60x26x27
-	0,0363	0,0389	0,0389	0,0389	0,0421	0,0421	0,0421


Carton (cbm)

### WEIGHT

Carton (kg)

5	6	7	8	9	10	11	12
-	8,50	9,20	9,60	10,4	10,8	11,8	12,2
-	52,0	57,0	60,0	65,0	68,0	75,0	78,0

Unit (g)



### Size chart (cm)

Total length (A)

5	6	7	8	9	10	11	12
-	22,0	23,0	24,0	25,0	26,0	27,0	28,0
-	7,80	8,00	8,20	9,60	9,80	10,0	10,2
-	7,60	7,80	8,00	8,40	8,60	8,80	9,00
-	9,00	9,40	9,60	10,1	10,9	11,2	11,4

Cuff length (B)

Cuff width (C)

Palm width (D)

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)

Tolerance (D) ± 0,70 (cm)

### DESCRIPTION


Polyester knit with anti-cutting fiber dipped in polyurethane.

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388	PROTECTION LEVELS	LVL	score	unit
	MECHANICAL RISKS			
	abrasion resistance	4	> 8.000	cycles
	cut resistance	5	> 20	index
	tearing resistance	4	> 75	N
	puncture resistance	2	60 – 100	N
	cut resistance acc. to ISO	C	10 – 15	N

### SPECIAL FEATURES

- optimal ratio of protection against repeated lower cut risk and sudden intense cut risk  
= protection levels 5C
- size 9 / L and 10 / XL is retail ready packed
- horizontally integrated production without subcontracting
- wide size range with each size with its own specific hem color

**Basic packaging (without sales label)**

A5119/06  
A5119/07  
A5119/08  
A5119/09  
A5119/10  
A5119/11  
A5119/12

**Retail packaging (with sales label)**

A5119/09-SPE  
A5119/10-SPE

**EAN**

8592390078469  
8592390076052  
8592390076069  
8592390076076  
8592390076083  
8592390078476  
8592390086136

**HEM COLOR**

white  
yellow  
green  
orange  
blue  
white  
black

8592390013279  
8592390012029

orange  
blue