



ARDON®
WORKWEAR
& OUTDOOR

ARDON®GEARSAN S1

SAFETY SHOES



DRY AIR



REFLECTIVE



ZIPPERS

ARDON® GEARSAN S1

SAFETY SHOES

ARTICLE

G3170

MATERIAL

Upper
 Lining
 Sole

brushed buffalo leather VELUR in athickness of 1,8 - 2mm / CORDURA
 fabriclaminated breathable fabric MESH
 PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap
 Plate
 Insole

Steel 459

BASIC

SIZE

UNIT

PACKAGE

Units in a carton
 Units in a box

36-48
 pair

10 pairs
 1 pair

DIMENSIONS

Carton H x W x D
 (cm)
 Carton (cbm)

36-43
 36 x 49 x 65

44-48
 37 x 49,5 x 69

0,115

0,126

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	247	255	262	270	276	282	288	298	304	309	315	320	-	-	-
Foot length cm	-	23,6	24,2	25,0	25,7	26,5	27,1	27,7	28,3	29,3	29,9	30,4	31,0	31,5	-	-	-

DESCRIPTION















Safety sandal with suede leather upper and durable CORDURA fabric, with reflective elements. Two Velcro straps for easy adjustment of the width of the shoes. Sole made of double density PU / PU material. With the G3170 variant, safety is ensured by a steel toe cap.

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S1 SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3170/36	8592390070098	14,40	1,440
G3170/37	8592390070104	14,60	1,460
G3170/38	8592390070111	14,70	1,470
G3170/39	8592390070128	15,00	1,500
G3170/40	8592390070135	15,60	1,560
G3170/41	8592390070142	15,80	1,580
G3170/42	8592390070159	16,00	1,600
G3170/43	8592390070166	16,30	1,630
G3170/44	8592390070173	16,80	1,680
G3170/45	8592390070180	17,00	1,700
G3170/46	8592390070197	17,20	1,720
G3170/47	8592390070203	17,70	1,770
G3170/48	8592390070210	18,20	1,820



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

