



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BUCK CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION
AND STATIC PROTECTION



TECHNICAL DATA



EN 388: 2016



EN 16350



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BUCK CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION
AND STATIC PROTECTION

CODE

A5023

MATERIAL

Lining

15G HPPE (High Performance Polyethylene) + Carbon Fiber
+ Spandex

Coating
Thickness

polyurethane (grey), half-dipped
1,1 ± 0,2 mm (in palm)

SIZE(S):

6 / XS – 10 / XL

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging

120 pairs
12 pairs
N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	45x26x24	45x26x24	45x26x24	45x26x24	45x26x24	-	-
-	0,0281	0,0281	0,0281	0,0281	0,0281	-	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	4,80	5,20	5,50	6,20	6,50	-	-
-	32,0	35,0	38,0	43,0	46,0	-	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	22,0	23,0	24,0	25,0	26,0	-	-
-	7,80	8,00	8,20	9,60	9,80	-	-
-	7,60	7,80	8,00	8,40	8,60	-	-
-	9,00	9,40	9,60	10,1	10,9	-	-

Tolerance (A) ± 0,50 (cm)
Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)
Tolerance (D) ± 0,70 (cm)

DESCRIPTION


Highly durable ESD cut-resistant knit with polyurethane half-dipping.

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

 EN 388	PROTECTION LEVELS			
	MECHANICAL RISKS			
	abrasion resistance	LVL	score	unit
	cut resistance	4	> 8.000	cycles
	tearing resistance	4	10 - 20	index
	puncture resistance	4	> 75	N
	cut resistance acc. to ISO	2	60 - 100	N

EN 16350:2014

Protective gloves - general requirements and test methods
for antistatic properties



SPECIAL FEATURES

- ESD cut resistant gloves
- durable knit (4C cut resistance)
- ARDON® design:
 - mandatory information on inner label
 - reflective manufacturer's logo
- compatible with touch screens
- also available without polyurethane = PROOF CUT 4C (do not leave fingerprints)
- also available with polyurethane fingertips dipping = LEO CUT 4C



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A5023/06
A5023/07
A5023/08
A5023/09
A5023/10

EAN

8592390181053
8592390181060
8592390181077
8592390181084
8592390181091

HEM COLOR

violet
yellow
green
orange
blue

