



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## BUNDY

ROUGH HANDLING IN DRY ENVIRONMENT



EN 388: 2016



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# BUNDY

ROUGH HANDLING IN DRY ENVIRONMENT

## CODE

A1096

## MATERIAL

Palm buffalo grain leather (white)  
Back buffalo grain leather (white)  
Cuff elastic  
Lining none  
Thickness 0,7 mm – 0,9 mm (in palm)

## SIZE(S)

9 / L - 12 / 3XL

## UNIT

pair

## PACKING


Units in carton 120 pairs  
Units in polybag 12 pairs  
Retail packaging size 10 / XL and 11 / 2XL with sales label

## DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	-	58x24x24	61x25x25	64x27x27	66x28x28
Carton (cbm)	-	-	-	-	0,034	0,040	0,046	0,052

## WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	-	12,41	12,84	13,00	15,92
Unit (g)	-	-	-	-	95,00	98,00	100,0	124,0



## Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	-	24,5	25,5	26,5	27,5
Cuff length (B)	-	-	-	-	5,50	6,00	6,50	6,50
Cuff width (C)	-	-	-	-	10,0	11,0	12,0	13,0
Palm width (D)	-	-	-	-	12,0	12,5	13,0	13,5

Tolerance (A)  $\pm 0,50$  (cm)

Tolerance (B)  $\pm 0,50$  (cm)

Tolerance (C)  $\pm 0,50$  (cm)

Tolerance (D)  $\pm 0,50$  (cm)

## DESCRIPTION

Full leather gloves made of buffalo grain leather.

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

LVL	score	unit
2	500 – 2.000	cycles
1	1,2 – 2,5	index
2	25 – 50	N
1	20 – 60	N
X	not measured	N

### SPECIAL FEATURES

- every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- they are easy to dress and firmly fixed to the hands thank to the tightened cuff
- each pair in size 10 / XL and 11 / 2XL is retail ready packed



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

**Basic packaging (without sales label)**

A1096/09  
A1096/10  
A1096/11  
A1096/12

**EAN**

8592390170897  
8592390170903  
8592390170934  
8592390170927

**HEM COLOUR**

orange  
blue  
red  
yellow

**Retail packaging (with sales label)**

A1096/10-SPE  
A1096/11-SPE

8592390170941  
8592390170958

blue  
red